Curtain Hardware Solutions

OCTOBER 2026

Image courtesy of Brownlow Interior Design

Contents

4 Introduction to Vanda Victoria
6 Versatrak Rod
7 Vantage Eyelet Rod
8 Single Versatrak Brackets
9 Double Versatrak Brackets
10 Versatrak 16mm Finials
11 Versatrak 25mm Finials
12 Boldtrak Rod
13 Boldtrak Brackets
14 Boldtrak 25 Finials
14 Boldtrak 32 (square) Caps
14 Boldtrak 35 (round) Spacers
15 Boldtrak 35 round finials
18 Boldtrak with S-Fold or Wave-Fold
19 Flushfit Recessed Track
20 Colours & Straight Joins
21 Bends and Mitres
22 Accessories
23 Holdbacks

For product dimensions, please refer to the Vanda Victoria web site.

Front cover image courtesy of Emma Gaggin Interiors

Introduction to Vanda Victoria

Vanda was originally established in New Zealand in 1998, when it was realised there was gap in the market for decorative curtain rods versatile enough for today's homes. Shortly after, the Vanda range expanded to Australia, with a dedicated Victorian operation established in 2001. Today Vanda products are available throughout all states of Australia. Vanda Victoria supplies premier, customised curtain rods and accessories to the soft furnishings market throughout Victoria and Tasmania.

The Vanda rods are designed and made in NZ, from tough stylish high grade aluminium, with cast or forged metal accessories. Here in Melbourne the rods and accessories are customised to meet the needs of each individual client. Our range is unique to Vanda Victoria, reflecting local tastes and requirements.

The Vanda range is innovative and will enhance any home. Each order is customised in length, colour/finish, bracketing and finials, so each installation is exclusive – set your windows above the rest.

Our range is continually evolving, if you are looking for something related that is not featured here please contact us.

For all product dimensions, please refer to the Vanda Victoria web site www.vandavic.com.au

Vanda New Zealand is a manufacturer, wholesaler & distributor of custom-made curtain hardware, and roller & roman Blinds. Vanda is a family-owned and operated business. Their design engineering heritage dates back to 1884 when D.McL. Wallace set up his blacksmithing business in the Waikato. 115 years later, David Wallace registered Vanda Holdings Limited - a company designing and manufacturing stainless steel, brass & wrought-iron furniture.

Image courtesy of Emma Gaggin Interiors

Interior Designers were particularly interested in the hand-made original designs, and soon a request was made for a product to be created to fill a gap in the New Zealand market - a quality-custom made curtain rod system. The request was met, and soon it was obvious that a full-time focus to manufacturing the curtain hardware range was necessary to keep up with demand.

And so Vanda became a wholesale supplier of curtain hardware products to the interior design and retail market. Today, Vanda is a wholesale supplier, manufacturer, and exporter of a large range of window furnishing products.

Image courtesy of Rhapsody Rooms

Versatrak Rod

Combining aesthetics with practicality.

Made from robust aluminium, Versatrak's design and flexibility make it ideal for both residential and commercial applications. The look can range from traditional to contemporary by choosing finishes and finials accordingly

- Versatrak comes in 16mm and 25mm diameters to harmonise with the weight and style of the curtains.
- An extensive range of finials are available ranging in style from the very simple to the quite ornate.
- Finials are made from metal alloys or aluminium.
- Versatrak 25 can be used with rings or nylon glides, Versatrak 16 to be used with glides only.
- The unique channel design allows the glides and rings to slide smoothly past the brackets, allowing unlimited width in window treatments.
- The metal rings appear to be a full ring, but are actually ¾ rings and sit on nylon gliders so the metal does not scuff on the rod, allowing the rings to glide smoothly.
- Both Versatrak 16 & 25 rod can be bent or mitred, Versatrak 25 may also be curved to order.
- Versatrak may be used as a double system, mixing the 16mm and 25mm rods to suit. They may also be used in conjunction with the Boldtrak rods.
- The broad bracket range will accommodate most applications – even difficult ones. The range includes single 60mm, 100mm and 140mm face fix projections, plus double and top fix brackets.
- Cover plates are available for most Face Fix brackets to conceal fixing screws.
- The rod length is 6 metre; where longer lengths are required an internal jointer is available.
- A full range of colours is available, see the Vanda web site. Rods may also be powder coated to order.

25mm VT Ring

Vanda Glide

End stop, wedges under the finial to hold the end of the curtain in place.

Glides - available in white, black and grey

Single Versatrak Rods

25mm rod with glides

25mm rod with rings

16mm rod with glides

Double Versatrak Rods

16/25mm rods glide/glide
(Glides on front and rear)

16/25mm rods ring/glide
(Rings on front, glides on rear)

Also Available – 16/16mm, 25/25mm and 25/16mm combinations

Vantage Eyelet Rod

Clean and Streamlined for the modern home

Vantage allows eyelet or grommet curtains to be used on a wide range of windows – literally. Providing the curtains are relatively light, Vantage Eyelet rod can span 2.2 metres before further support is needed – so three brackets will span a 4.4m window.

- 25mm aluminium rod.
- The rod features an internal aluminium vertical extrusion which adds strength and rigidity.
- A top strip of PVC lifts the eyelet off the metal surface and allows the eyelet to glide smoothly without scratching. Rods come with the PVC strip installed, and with both ends trimmed to allow for the appropriate finial.
- Vantage can also be used with tab topped curtains or full rings – see "e-rings" page 22.
- Can be used as part of a double rod system, e.g. with sheers on the rear rod.
- Can be used with 60mm, 100mm and 140mm projection brackets. 100mm brackets are recommended for standard use, this allows the curtains to concertina fully.
- Maximum continuous length is 6m, double width brackets are available if the rods need to be joined.
- Vantage rod can be bent to order.
- Use with 40-45mm I.D. eyelets/grommets.
- Vantage comes in all standard colours. Other colours are possible via powder coating.
- Vantage Rod fits all 25mm Versatrak finials.

Vantage eyelet rod showing the vertical aluminium support and the PVC glide strip.

Image courtesy of Carlisle Homes

Single Versatrak Brackets

Versatrak 16 Brackets

Wedge Glide bracket – 40mm projection*

Combo glide bracket 140mm projection (also available in 100mm)

End wall bracket

Ultra top fix bracket

The concealed base plate serves to conceal the screw fixings. The plate is available for combo brackets.

***Not available with concealed base plates**

Versatrak 25 Brackets

Ring bracket – 60mm projection

Glide bracket – 60mm projection

Ring bracket - 100mm projection

Combo ring bracket - 140mm projection

Combo glide bracket - 140mm projection (also available in 100mm)

End wall bracket

Top fix ring bracket

Ultra top fix glide bracket

Note: Dimensions and drops are listed on the Vanda web page, alternatively a brochure with these measurements is available

Versatrak Double Combo Brackets

16/16. 16mm glide-front/16mm glide rear

16/25. 16mm glide-front/25mm glide rear

25/25. 25mm glide-front / 25mm glide rear

25/25. 25mm ring front / 25mm glide rear

25/16. 25mm glide front / 16mm glide rear

25/16. 25mm ring front / 16mm glide rear

Reinforced wall plates

Reinforced wall plates are included with all Versatrak double combo brackets, and all Versatrak combo brackets 140mm and over. The wall plates now have an integrated triangular design at the wall junction that reinforces their tolerance for bearing weight and replaces the need for previously used RBI's.

Old wall plate left and new reinforced wall plate right (front view)

Old wall plate left and new reinforced wall plate right (side view)

Reinforced wall plate on a140mm combo assembly glide bracket

Concealed Base Plate

The concealed plate serves to conceal the screw fixings.
The plate is available for all 25mm face fix brackets, and both single and double combo brackets.

Note: Dimensions and drops are listed on the Vanda web page, alternatively a brochure with these measurements is available

Versatrak 16 Finials

Plain Cap

Ball

Flat Cap

Mushroom

Image courtesy of Board and Batten Design

Versatrak 25 Finials (to fit Versatrak 25 & Boldtrak 25 plus Vantage 25)

Plain Cap

Flat Cap

Mushroom

Discus

Round Ball

Skirted Small Ball

Medium Ball

Large Ball *

Podium

Fleur De Lis

Round Cage

Basket

Available to special order

Domed Ball

Rosette

Boldtrak Rod

Hard edged sophistication for cutting edge applications, it's a Bold look.

- Boldtrak comes in three profiles; 25mm and 35 mm round, plus 32mm square.
- Boldtrak may be supplied with glides for standard headings, Boldtrak 25 may be used with Wavefold
- Boldtrak 32 and 35 may be used with Wavefold or S-fold headings
- Finials are made from metal alloys or aluminium.
- The channel profile allows the glides to slide smoothly past the brackets, providing great flexibility in window treatments.
- Boldtrak may be used as a double system; combining with Versatrak (16 or 25mm) or as a double Boldtrak
- The broad bracket range will accommodate most applications – even difficult ones. The range includes 60mm, 100mm and 140mm face fix projections; plus top fix and double brackets.
- All face fix brackets are available with the concealed base plate option
- The rod length is 6 metres, for joins a clamp is available.
- A wide range of colours are available (see the Vanda web site), or colours can be powder coated to order.

Please Note:

- Boldtrak 25mm can now be bent with certain limitations (Confirm angles can be bent before ordering).
- Boldtrak 32mm & 35mm cannot be bent or curved.
- Reinforcing bracket inserts are fitted to brackets projecting over 140mm. (see page 13), and should also be used for heavy drapes or long drops.

Boldtrak 25 with glides and end stops

Boldtrak 32 with glides

Boldtrak 35 with glides

Boldtrak Glides

Photo by Gareth Richards Photography, interior design by Janelle Hearn Design, supplied & installed by Shades in Hawthorn.

Boldtrak Brackets (for Boldtrak 25, 32 & 35)

- All Boldtrak face fix brackets may be supplied with Concealed base plates
- RBI's (Reinforcing bracket inserts) are optional with Double Boldtrak brackets but included for brackets over 140mm

Standard bracket 60mm projection

Premo bracket 100mm projection

Premo bracket with concealed base bracket 110mm projection

Top fix bracket

Premo double Boldtrak bracket

Premo double 25mm bracket (also available with 16mm)

RBI's (Reinforcing Bracket Inserts)

Reinforcing Bracket inserts are supplied with brackets projecting over 140mm and are optional with Boldtrak double brackets. The inserts are an unobtrusive right angled solid steel reinforcing section, powder coated to the same colour as the bracket. If your curtains are particularly heavy, or have a long drop, please ask for RBI's.

RBI Inserts for standard and concealed brackets

RBI in bracket

Does my Boldtrak installation need RBI's?

Projection	100mm	140mm	170mm
Boldtrak - Premo	Opt	Opt	Yes
Boldtrak Double - premo	–	Opt	Yes

Boldtrak 25 Finials

For the full range of finials refer to page 11.

Boldtrak 32 Caps (square)

End cap

Plain square cap

Boldtrak 35 Spacers (round)

Spacers are used to finish the end of the rod, and may be used in the same or a contrasting colour.
See page 15 for where spacers MUST be used.

Site disc (40mm x 4mm)

Round band (35mm x 6mm)

Photo by Gareth Richards Photography, interior design by Janelle Hearn Design, supplied & installed by Shades in Hawthorn.

Boldtrak 35 Finials

Please note: the finials marked # MUST be used with a spacer (Round band or Site disc – see page 14)

Flat cap
(shown with a contrasting round band)

End cap

Mushroom
(shown with a contrasting round band)

Plain ball
(shown with a contrasting site disc)

Large Ball #
(shown with site disc)

Basket #
(shown with site disc)

Podium

The following finials are available to order

Camelia

Disc

Spike #
(shown with a contrasting site disc)

Thistle

Magnolia Bud #
(shown with site disc)

Rosebud

Image courtesy of Board and Batten Design

Boldtrak with S-Fold or Wavefold

S-Fold or Wavefold headings provide a clean streamlined look, and are becoming increasingly popular, althouth the look is very similar, the difference is the methodology, S-Fold uses a snap system, whereas Wavefold uses hooks. **Please note:** not all fabrics and curtain sizes are suited to S-Fold or Wavefold curtains. Samples should be checked for suitability

S-Fold

S-Fold tape is 25mm wide and comes in black, white and clear, the pendants are snapped into place.

S-Fold tapes – white, clear and black

S-Fold pendant

S-Fold corded glider (with pendants)

S-Fold End Stop - in place

Wavefold

Wavefold tape is 75mm wide and comes in clear, the pendants are hooked into place. Pockets are discretely marked for use with either 80% or 100% fullness; hook placement can be adjusted according to the desired fullness. The narrower one piece Wavefold carriers have an improved stack back compared to the two piece (10.7mm compared to 14.1mm, an improvement of 24%).

Wavefold hooks

Wavefold one piece carriers

Wavefold clear tape

Flushfit Recessed Track

Flushfit has been conceived with Architects and Designers in mind. The track sits discreetly inside the ceiling lining and does not require bracketing. **The original track is 13mm deep, so requires a ceiling lining 13mm thick**, alternately the timber joists need to be routed to accommodate the depth. The track width is 16mm, so builders need to allow a gap of 18mm for ease of installation,the 5mm overlap covers plasterboard edges.

Now available: A 10mm Flushfit track (10mm deep) is now available to be used on 10mm ceiling linings.

Tracks come in 6m lengths, and can be butt joined for longer installations. Prefabricated 90 and 135 degree elbows are available. Tracks are pre-punched at 500mm centres with 3.5mm holes. Screws are supplied.
Flushfit comes in Classic Matt White. Powder coated colours are available to order. Flushfit may be supplied with glides (Boldtrakglides) for standard headings, or with Wavefold tape. Glides and Wavefold tapes are shown on pages 12 & 18 respectively.

Recently added:
Flangeless: Engineered for versatility, it works with various ceiling types including precast concrete, hardwood,softwood timber linings, and textured architectural battens. and can also be surface-mounted directly to ceilings without the need for bracketing.

Flush Fit Track

Flushfit end covers, with and without end stops



UNDERNEATH VIEW:

SIDE VIEW:

Image courtesy of Turton Oliver

Colours

Colours can be viewed on the Vanda Victoria web page, however colours do change with trends, so it is advisable to check before specifying.

Customised powder coating is also available to order in most Dulux or Jotun colours.

Please note:

- Versatrak, Boldtrak and Vantage are available in all Vanda colours.
- Flush fit is available in White
- Hand finishes are no longer available.

Straight Joins

The following options are available

- Versatrak (16mm & 25mm) can be joined with an internal jointer.
- Vantage can be butt joined and a double width bracket used for additional rigidity
- Boldtrak is joined with a clamp

Versatrak Internal Joiner in a 25mm rod (16mm also available)

Boldtrak clamp

Image courtesy of Rhapsody Rooms

Bends and Mitres

The following options are available:

- Versatrak Vantage and Boldtrak 25 can be bent – curtains will still flow.
- Versatrak 25 can be supplied in continuous curves – curtains will still flow.
- Versatrak can be mitred. Versatrak 25 has an internal 90 degree jointer.
- Boldtrak and Vantage may be mitred, though there is no corner jointer for this.

To complete bends, curves and mitres to order, Vanda Victoria requires the back wall measurement, the angle, and the bracket projection. Please confirm bends and curves when ordering.
Minimum diameter for curves is 2 metres. Further information is required for curves – see diagram. If providing a template, please ensure this is on cardboard or some other stiff material (e.g. blind fabric). A template on paper will not suffice.

Some Bend Options



Two Bend Bay



Square Bay



Four Bend Bay



Curve

The above measurements A & B are required for 'curved' bay applications.

Versatrak 25 90° Mitre corner jointer (Internal mitre jointers are NOT available for any other size)

Fabrication

			MITRES		JOINS	
Rod Profile	**Bends**	**Curves**	**Mitres**	**Internal Joiner**	**Type**	
					Internal	Clamp
Versatrak 16	Yes	No	Yes	No	Yes	-
Versatrak 25	Yes	Yes	Yes	Yes	Yes	-
Boldtrak 25	Yes	No	Yes	No	-	Yes
Boldtrak 35	No	No	Yes	No	-	Yes
Boldtrak 32	No	No	Yes	No	-	Yes
Flushfit	Elbows Available - 90 & 135 degree	No	Yes	No	Butt Join Only	-

Accessories

Flik Stiks

Solid aluminium Flik Stiks will not flex and bend. They come in two standard lengths 750mm (7mm dia.), and 1200mm (10mm dia.), and two standard colours – Ivory and Silver Pearl.
Clear Flik Stiks come in 1000mm or 1500mm (reeded)

Metal Flik Stiks
750mm and 1200mm

Clear Flik Stiks
1000mm and 1500mm

Hanger Suspension Brackets

16mm suspension bracket

25mm suspension bracket

Boldtrak Suspension bracket

Available for Versatrak, Vantage and Boldtrak range, can suspend rods up to 500mm. Longer drops are attainable when used in conjunction with lateral supports.

Alternate Ring

Complete "E" rings, with an eyelet for curtain hooks

'E' ring with an eyelet for curtain hooks. Can be used with Vantage eyelet rods

Return Brackets

Holdbacks

Dress your windows with stylish holdbacks. Holdbacks are available to order.

Tilt Back Holdbacks

Pictured in the "hold" position, fold up against the wall when curtains are drawn.

Ball End

Basket

Mushroom

When ordering specify left or right.

Straight Stem Holdbacks

Standard 100mm standout from the wall – 150mm stand outs also available.

Mushroom stem

Rosette

Drop Down Holdbacks

French Holdback

Image courtesy of Emma Gaggin Interiors

Vanda Victoria
Unit 5, 52-60 Garden Dr, Tullamarine 3043. Showroom open: 9-5 Mon-Fri, please phone for appointment (trade only).
Ph: 03 9335 6355 **Email:** sales@vandavictoria.com.au **Web:** vandavic.com

Boldtrak 35 with S Fold, photo courtesy of Shades in Hawthorn